

## COMBINATIETABEL



## MU4R25

Aantal units		Combinatie van binnendeel (kBtu/u)					Koelen						Opgenomen vermogen (W)		
							Totale capaciteit								
							Min		Nominaal		Max				
UNIT-A	UNIT-B	UNIT-C	UNIT-D	Totaal	Btu/u	kW	Btu/u	kW	Btu/u	kW	Min	Nom	Max		
1 UNIT	5				5	3,600	1.06	5,000	1.47	6000	1.76	288	363	571	
	7				7	4,200	1.23	7,000	2.05	8400	2.46	319	478	645	
	9				9	5,400	1.58	9,000	2.64	10800	3.17	378	595	847	
	12				12	7,200	2.11	12,000	3.52	14400	4.22	478	822	1139	
	15				15	8,520	2.50	15,000	4.40	17040	4.99	573	1003	1356	
	18				18	10,800	3.17	18,000	5.28	21600	6.33	747	1302	1827	
	5	5			10	7,200	2.11	10,000	2.93	12000	3.52	350	532	788	
	5	7			12	7,200	2.11	12,000	3.52	14400	4.22	350	669	991	
	5	9			14	8,400	2.46	14,000	4.10	16800	4.92	408	821	1215	
	7	7			14	8,400	2.46	14,000	4.10	16800	4.92	408	821	1215	
	7	9			16	9,600	2.81	16,000	4.69	19200	5.63	469	991	1467	
	5	12			17	10,200	2.99	17,000	4.98	20400	5.98	532	1083	1603	
	9	9			18	10,800	3.17	18,000	5.28	21600	6.33	599	1182	1749	
	7	12			19	11,400	3.34	19,000	5.57	22800	6.68	669	1290	1909	
	5	15			20	12,000	3.52	20,000	5.86	24000	7.03	669	1406	2080	
9	12			21	12,600	3.69	21,000	6.15	24150	7.08	743	1530	2264		
7	15			22	13,200	3.87	22,000	6.45	25300	7.42	743	1638	2425		
5	18			23	13,800	4.04	23,000	6.74	26450	7.75	821	1752	2593		
9	15			24	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
12	12			24	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
7	18			25	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
9	18			27	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
12	15			27	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
5	24			29	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
12	18			30	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
15	15			30	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
7	24			31	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
9	24			33	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
15	18			33	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
18	18			36	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
12	24			36	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
15	24			39	14,400	4.22	24,000	7.03	27000	7.91	904	1871	2770		
5	5	5		15	9,000	2.64	15,000	4.40	18000	5.28	422	837	1239		
5	5	7		17	10,200	2.99	17,000	4.98	20400	5.98	481	1013	1500		
5	5	9		19	11,400	3.34	19,000	5.57	22800	6.68	544	1212	1794		
5	7	7		19	11,400	3.34	19,000	5.57	22800	6.68	544	1212	1794		
5	7	9		21	12,600	3.69	21,000	6.15	25200	7.39	682	1438	2128		
7	7	7		21	12,600	3.69	21,000	6.15	25200	7.39	682	1438	2128		
5	5	12		22	13,200	3.87	22,000	6.45	26400	7.74	731	1540	2279		
5	9	9		23	13,800	4.04	23,000	6.74	27600	8.09	731	1647	2437		
7	7	9		23	13,800	4.04	23,000	6.74	27600	8.09	731	1647	2437		
5	7	12		24	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	5	15		25	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	9	9		25	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	9	12		26	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	7	12		26	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	7	15		27	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	9	9		27	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	9	12		28	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	5	18		28	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	9	15		29	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	12	12		29	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	7	15		29	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	7	18		30	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	9	12		30	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	9	15		31	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	12	12		31	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	12	15		32	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	9	18		32	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	7	18		32	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	9	15		33	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	12	12		33	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	9	18		34	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	12	15		34	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	5	24		34	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	12	18		35	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	15	15		35	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	7	24		36	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	12	15		36	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
12	12	12		36	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	9	18		36	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	12	18		37	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	15	15		37	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	9	24		38	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
5	15	18		38	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
7	7	24		38	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	12	18		39	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
9	15	15		39	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		
12	12	15		39	14,400	4.22	24,000	7.03	29000	8.50	837	1758	2603		

※ Vanwege ons innovatiebeleid is het mogelijk dat bepaalde specificaties zonder kennisgeving worden gewijzigd.

## COMBINATIETABEL



Koelen														
Aantal units	Combinatie van binnendeel (kBtu/u)					Totale capaciteit						Opgenomen vermogen (W)		
						Min		Nominiaal		Max		Min	Nom	Max
	UNIT-A	UNIT-B	UNIT-C	UNIT-D	Totaal	Btu/u	kW	Btu/u	kW	Btu/u	kW			
4 UNIT	5	5	5	5	20	12,000	3.52	20,000	5.86	24000	7.03	592	1265	1872
	5	5	5	7	22	13,200	3.87	22,000	6.45	29000	8.50	659	1495	2212
	5	5	5	9	24	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	7	7	24	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	7	9	26	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	7	7	26	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	5	12	27	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	9	9	28	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	7	9	28	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	7	7	28	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	7	12	29	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	5	15	30	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	9	9	30	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	7	9	30	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	9	12	31	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	7	12	31	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	7	15	32	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	9	9	32	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	9	9	9	32	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	5	18	33	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	9	12	33	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	7	12	33	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	9	15	34	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	12	12	34	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	7	15	34	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	9	9	9	34	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	7	18	35	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	9	9	12	35	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	9	12	35	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	9	15	36	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	12	12	36	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	7	15	36	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	9	9	9	9	36	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	9	18	37	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	5	12	15	37	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	7	7	18	37	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	9	9	12	37	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	5	9	9	15	38	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	9	15	38	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
	7	7	12	12	38	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603
5	5	5	24	39	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603	
5	7	9	18	39	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603	
5	7	12	15	39	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603	
9	9	9	12	39	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603	
7	7	7	18	39	14,400	4.22	24,000	7.03	29000	8.50	731	1758	2603	

## COMBINATIETABEL



## MU4R25

Aantal units	Combinatie van binnendeel (kBtu/u)					Verwarmen						Opgenomen vermogen (W)		
						Totale capaciteit								
	UNIT-A	UNIT-B	UNIT-C	UNIT-D	Totaal	Min		Nominaal		Max		Min	Nom	Max
						Btu/u	kW	Btu/u	kW	Btu/u	kW			
1 UNIT	5				5	4,000	1.17	5,500	1.61	6325	1.85	279	384	589
	7				7	5,040	1.48	8,400	2.46	9660	2.83	342	579	743
	9				9	6,480	1.90	10,800	3.17	12420	3.64	483	757	997
	12				12	7,920	2.32	13,200	3.87	15180	4.45	537	954	1234
	15				15	9,900	2.90	16,500	4.84	18975	5.56	688	1189	1593
	18				18	11,880	3.48	19,800	5.80	22770	6.67	845	1483	1978
	24				24	15,240	4.47	25,400	7.44	26670	7.82	1101	1840	2327
2 UNIT	5	5			10	7,200	2.11	12,000	3.52	14400	4.22	329	598	861
	5	7			12	8,640	2.53	14,400	4.22	17280	5.06	430	904	1301
	5	9			14	10,080	2.95	16,800	4.92	20160	5.91	484	945	1360
	7	7			14	10,080	2.95	16,800	4.92	20160	5.91	484	945	1360
	7	9			16	11,520	3.38	19,200	5.63	23040	6.75	540	1118	1610
	5	12			17	12,240	3.59	20,400	5.98	24480	7.17	598	1319	1899
	9	9			18	12,960	3.80	21,600	6.33	25920	7.60	660	1430	2059
	7	12			19	13,680	4.01	22,800	6.68	27360	8.02	725	1543	2221
	5	15			20	14,400	4.22	24,000	7.03	28800	8.44	764	1662	2393
	9	12			21	15,120	4.43	25,200	7.39	29000	8.50	793	1749	2518
	7	15			22	15,840	4.64	26,400	7.74	29000	8.50	867	1836	2644
	5	18			23	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	9	15			24	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	12	12			24	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	7	18			25	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	9	18			27	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	12	15			27	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	5	24			29	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	12	18			30	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	15	15			30	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
	7	24			31	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850
9	24			33	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850	
15	18			33	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850	
18	18			36	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850	
12	24			36	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850	
15	24			39	16,560	4.85	27,600	8.09	29000	8.50	945	1977	2850	
3 UNIT	5	5	5		15	10,800	3.17	18,000	5.28	21600	6.33	497	946	1363
	5	5	7		17	12,240	3.59	20,400	5.98	24480	7.17	551	1118	1610
	5	5	9		19	13,680	4.01	22,800	6.68	27360	8.02	725	1419	2044
	5	7	7		19	13,680	4.01	22,800	6.68	27360	8.02	725	1419	2044
	5	7	9		21	15,120	4.43	25,200	7.39	30240	8.86	730	1610	2319
	7	7	7		21	15,120	4.43	25,200	7.39	30240	8.86	730	1610	2319
	5	5	12		22	15,840	4.64	26,400	7.74	31000	9.09	798	1697	2444
	5	9	9		23	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	7	9		23	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	7	12		24	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	5	15		25	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	9	9		25	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	9	12		26	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	7	12		26	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	7	15		27	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	9	9	9		27	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	9	12		28	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	5	18		28	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	9	15		29	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	12	12		29	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	7	15		29	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	7	18		30	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	9	9	12		30	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	9	15		31	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	12	12		31	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	12	15		32	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	9	18		32	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	7	18		32	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	9	9	15		33	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	9	12	12		33	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	9	18		34	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	7	12	15		34	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	5	24		34	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	12	18		35	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	15	15		35	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	5	7	24		36	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	9	12	15		36	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	12	12	12		36	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
	9	9	18		36	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647
7	12	18		37	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	
7	15	15		37	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	
5	9	24		38	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	
5	15	18		38	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	
7	7	24		38	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	
9	12	18		39	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	
9	15	15		39	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	
12	12	15		39	16,560	4.85	27,600	8.09	31000	9.09	870	1838	2647	

※ Vanwege ons innovatiebeleid is het mogelijk dat bepaalde specificaties zonder kennisgeving worden gewijzigd.

## COMBINATIETABEL



Verwarmen														
Aantal units	Combinatie van binnendeel (kBtu/u)					Totale capaciteit						Opgenomen vermogen (W)		
						Min		Nominaal		Max				
	UNIT-A	UNIT-B	UNIT-C	UNIT-D	Totaal	Btu/u	kW	Btu/u	kW	Btu/u	kW	Min	Nom	Max
4 UNIT	5	5	5	5	20	14.400	4.22	24.000	7.03	28800	8.44	700	1418	2041
	5	5	5	7	22	15.840	4.64	26.400	7.74	31000	9.09	795	1625	2339
	5	5	5	9	24	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	7	7	24	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	7	9	26	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	7	7	26	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	5	12	27	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	9	9	28	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	7	9	28	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	7	7	28	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	7	12	29	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	5	15	30	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	9	9	30	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	7	9	30	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	9	12	31	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	7	12	31	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	7	15	32	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	9	9	32	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	9	9	9	32	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	5	18	33	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	9	12	33	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	7	12	33	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	9	15	34	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	12	12	34	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	7	15	34	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	9	9	9	34	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	7	18	35	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	9	9	12	35	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	9	12	35	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	9	15	36	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	12	12	36	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	7	15	36	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	9	9	9	9	36	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	9	18	37	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	5	12	15	37	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	7	7	18	37	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	9	9	12	37	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	5	9	9	15	38	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	9	15	38	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
	7	7	12	12	38	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647
5	5	5	24	39	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647	
5	7	9	18	39	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647	
5	7	12	15	39	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647	
9	9	9	12	39	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647	
7	7	7	18	39	16.560	4.85	27.600	8.09	31000	9.09	832	1838	2647	